


Alumatic trappe de visite, avec plaque de plâtre H2/GKBI (hydrofuge) intégrée **12.5 mm**

Dim. nom. A x B (V)	Dim. install. A1 x B1	Dim. extér. A2 x B2	Dim. pass A3 x B3	Dim. T1	T2
200 x 200	197 x 197	238 x 238	187 x 187	13	41
300 x 300	297 x 297	338 x 338	287 x 287	13	41
400 x 400	397 x 397	438 x 438	387 x 387	13	41
500 x 500	497 x 497	538 x 538	487 x 487	13	41
600 x 600	597 x 597	638 x 638	587 x 587	13	41


Alumatic trappe de visite, avec plaque de plâtre H2/GKBI (hydrofuge) intégrée **25 mm**

Dim. nom. A x B (V)	Dim. install. A1 x B1	Dim. extér. A2 x B2	Dim. pass A3 x B3	Dim. T1	T2
200 x 200	197 x 197	238 x 238	187 x 187	26	41
300 x 300	297 x 297	338 x 338	287 x 287	26	41
400 x 400	397 x 397	438 x 438	387 x 387	26	41
500 x 500	497 x 497	538 x 538	487 x 487	26	41
600 x 600	597 x 597	638 x 638	587 x 587	26	41



Softline Comfort trappe de visite, tôle blanc RAL 9016

Dim. nom. A x B (V)	Dim. install. A1 x B1	Dim. extér. A2 x B2	Dim. pass A3 x B3	Dim. T1	T2
150 x 150	150 x 150	185 x 185	145 x 145	38	20
200 x 200	200 x 200	235 x 235	195 x 195	38	20
250 x 250	250 x 250	285 x 285	245 x 245	38	20
300 x 300	300 x 300	335 x 335	295 x 295	38	20
400 x 400	400 x 400	435 x 435	395 x 395	38	20
500 x 500	494 x 494	538 x 538	468 x 468	38	25
600 x 600	594 x 594	638 x 638	568 x 568	38	25



Softline trappe de visite, tôle blanc RAL 9016,
 cadre monobloc

Dim. nom. A x B (V)	Dim. install. A1 x B1	Dim. extér. A2 x B2	Dim. pass A3 x B3	Dim. T1	T2
150 x 150	150 x 150	185 x 185	145 x 145	27	20
150 x 200	150 x 200	185 x 235	145 x 195	27	20
200 x 200	200 x 200	235 x 235	195 x 195	27	20
200 x 250	200 x 250	235 x 285	195 x 245	27	20
200 x 300	200 x 300	235 x 335	195 x 295	27	20
250 x 250	250 x 250	285 x 285	245 x 245	27	20
300 x 300	300 x 300	335 x 335	295 x 295	27	20
400 x 400	400 x 400	435 x 435	395 x 395	27	20



Softline trappe de visite, tôle blanc RAL 9016,
cadre en quatre parties

Dim. nom. A x B (V)	Dim. install. A1 x B1	Dim. extér. A2 x B2	Dim. pass A3 x B3	Dim.	T1	T2
300 x 400	294 x 394	338 x 438	268 x 368		21	25
300 x 500	294 x 494	338 x 538	268 x 468		21	25
400 x 600	394 x 594	438 x 638	368 x 568		21	25
500 x 500	494 x 494	538 x 538	468 x 468		21	25
600 x 600	594 x 594	638 x 638	568 x 568		21	25